



MATERIAL SAFETY DATA SHEET

SECTION 1 — PRODUCT IDENTIFICATION

Product identifier: Con-ER

Product Number: 4031, 4032 & 4033

Product Use: Stencil Removing Concentrate

Date Prepared: 4/29/04

Manufacturer's name and address: Refer to supplier

Supplier name and address:

ALBATROSS USA INC./EXPERT WORLDWIDE

36-41 36th Street

Long Island City, New York

United States

11106

718-392-6272

5439 San Fernando Road West

Los Angeles, California

United States

90039

818-543-5850

Emergency Telephone #: Chemtrec (Day or Night) 800-424-9300
(For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident)

This MSDS complies with OSHA Hazard Communication Standard 29CFR 1910.1200

IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customers, and users of this product.

SECTION 2 — INGREDIENTS

<u>Components</u>	<u>CAS #</u>	<u>% Wt</u>	<u>OSHA-PEL</u>	<u>NIOSH-REL</u>
Periodic Acid	10450-60-9	1-10	None Known	None Known

Other ingredients withheld as trade secret information permitted by 29 CFR 1910.1200 and New Jersey Trade Secret Reg. TSNR7333002250.001940916. All necessary information concerning the properties of the product are enclosed below.

SECTION 3 — PHYSICAL PROPERTIES

Boiling Point: 121 C

Freezing Point: -11 C

Melting Point: Not Applicable

Vapor Pressure at 20 C: 1.0 mm Hg

Total V.O.C. Content at 20 C: 0

Solubility in Water: Soluble

Physical State: Liquid

Appearance: Clear Liquid

SECTION 4 — FIRE AND EXPLOSION HAZARD DATA

Flash Point: Not Flammable UEL: Unknown LEL: Unknown

AutoIgnition Temperature: Not Applicable

Extinguishing Media: Not Flammable

Special Fire Fighting Procedures: Fire Fighters should wear normal protective equipment and self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: Product is not flammable; however, due to its oxidizing capability, this product could ignite combustible materials.

Flame Propagation or Burning Rate: Not Applicable

SECTION 5 — REACTIVITY DATA

Stable: Yes

Conditions to Avoid: Heat

Incompatibility (Materials to Avoid: Mixtures with finely divided metals can react explosively. Mixtures with combustible materials are readily ignited (wood, paper, oil, etc.)

Hazardous Decomposition or ByProducts: Oxides of Sodium, Toxic Fumes of Iodine and Iodine compounds

Hazardous Polymerization May Occur? No

SECTION 6 — HEALTH HAZARD DATA

Primary Routes of Exposure: Inhalation, ingestion, skin and eye contact.

Acute Signs and Symptoms of Overexposure: May cause eye, skin and mucous membrane irritation.

HMIS Information:

Health: 3 Flammability: 0 Reactivity: 3 Protective Equipment: C

Chronic Signs and Symptoms of Overexposure: None Known

Carcinogenicity?: No

Listed In:	IARC	Not Listed
	OSHA	Not Listed
	NTP	Not Listed
	OTHER	None Known

Medical Conditions Generally Aggravated by Exposure: Any previously existing pulmonary, ocular, or dermatitis conditions.

First-Aid Procedures:

Eye: Flush eyes with large quantities of water for 15 minutes. Seek medical attention.

Skin: Wash area with soap and water. Seek medical attention.

Inhalation: Remove victim to fresh air. Restore breathing, if required. Seek medical attention immediately.

Ingestion: Seek medical attention immediately.

SECTION 7 — PRECAUTIONS FOR SAFE HANDLING & USE

Actions to Take for Spills: Wear appropriate personal protective clothing. If spill is indoor, ventilate area of spill. Place absorbent sweeping compound on spill. Scoop up with shovel and place in suitable container.

Waste Disposal: Dispose of via licensed disposal firm in accordance with all federal, state and local regulations.

Precautions to be Taken Handling and Storage: Minimize breathing of vapors and prolonged or repeated contact with skin. Remove all sources of ignition. Keep containers tightly closed when not in use. Store away from incompatibles. Store in a cool, dry, well-ventilated area.

Other Precautions: Avoid run-off into storm sewers and ditches, which may lead to natural waterways.

SECTION 8 — EMPLOYEE PROTECTION MEASURES

Ventilation: Local ventilation is preferred to meet TLV requirements. General ventilation is acceptable if exposure is maintained below the TLV.

Respiratory Protection: Not required.

Eye Protection: Safety glasses or safety goggles

Protective Gloves: Chemically resistant gloves

Other Protective Equipment: Clothing suitable to prevent skin contact.

Work & Hygienic Practices: Wash thoroughly after handling product. Do not eat, drink, or smoke in areas of product handling.

SECTION 9 — D.O.T INFORMATION

UN Number: UN 3093

Hazard Class: 8 Corrosive

Proper Shipping: Corrosive Liquids, Oxidizing, N.O.S.

Labels: Corrosive & Oxidizer

Packing Group: PGII

SECTION 10 — PREPARATION INFORMATION

Prepared By: Albatross USA, Inc.

The information above is believed to be accurate and represents the best information currently available to us. However, Albatross makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.